

ABSTRACT OF THE DISCLOSURE

A conductive belt having a base layer (3) electroconductive and made of a resin, an intermediate layer (5) ionic-conductive and made of an elastomer, and a surface coating 5 layer (7). The base layer (3) has a tensile modulus of elasticity of not less than 500 Mpa and a volume electric resistance value not less than $10^6 \Omega \cdot \text{cm}$ nor more than $10^{11} \Omega \cdot \text{cm}$. The intermediate layer (5) has a JIS A hardness less than 70, a thickness not less than $50 \mu\text{m}$ nor more than $600 \mu\text{m}$, and a volume electric resistance 10 value not less than $10^8 \Omega \cdot \text{cm}$ nor more than $10^{14} \Omega \cdot \text{cm}$.